

PLUME™

THE ART OF ATMOSPHERE

Safety Data Sheet

This Safety Data Sheet was prepared using supplier hazard data and classified in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Revision 1.0 | August 17, 2026

24-HOUR EMERGENCY CONTACT

CHEMTREC 1-800-424-9300

Contract ID: CCN1026268

SECTION 1

Identification

Product Name	Cable Knit
Product Code / SKU	P-TR-4
Product Type	Fragrance Oil Blend
Collection	Traditions
Manufacturer	PLUME™ Louisiana, USA www.PlumeFragrance.com contact@plumefragrance.com

Recommended Use

Fragrance ingredient for candles, melts, soap and home fragrance products. PLUME™ fragrances are carefully developed to deliver exceptional preformance in candle applications while remaining versatile for use across multiple fragranced products when used within applicable IFRA usage limits.

Restrictions on Use

Supplied as a fragrance ingredient for further manufacturing only. Not intended to be used undiluted or as a finished consumer product. Do not use in food, drugs, or apply directly to skin unless the finished product has been appropriately formulated, evaluated for safety, and complies with applicable regulations and IFRA Standards.

Prepared By PLUME™ Regulatory Affairs

Hazard Identification

Classification

Hazard Class

Flammable Liquid

Skin Corrosion / Irritation

Eye Damage / Irritation

Skin Sensitization

Hazardous to the Aquatic Environment, Acute

Hazardous to the Aquatic Environment, Long-term

Category

4

2

2

1

1

2

Signal Word: WARNING

Hazard Statements

H227	Combustible liquid.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

Precautionary Statements

P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P264	Wash hands and other contacted skin thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P261	Avoid breathing vapour or dust.
P272	Contaminated work clothing should not be allowed out of the workplace.
P305+P351+P338	IF ON SKIN: Wash with plenty of soap and water.
P302+P352	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370+P378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.

GHS Pictograms



Other Hazards

Hydrocarbon Concentration %: 9.0203 %

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 17 1207/2006, Annex XIII.

Composition / Information on Ingredients

Chemical Name	CAS No.	%	GHS Classification
d-Limonene	5989-27-5	5–<10%	Flam. Liq. 3 (H226); Skin Irrit. 2 (H315); Skin Sens. 1B (H317); Asp. Tox. 1 (H304); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	63500-71-0	5–<10%	Eye Irrit. 2A (H319)
Dihydromyrcenol	18479-58-8	5–<10%	Flam. Liq. 3 (H226); Acute Tox. 5 (H303); Skin Irrit. 2 (H315); Eye Irrit. 2A (H319); Aquatic Acute 2 (H401)
Phenethyl alcohol	60-12-8	1–<5%	Acute Tox. 5 (H303); Skin Irrit. 3 (H316); Eye Irrit. 2A (H319)
Ethylene brassylate	105-95-3	1–<5%	Aquatic Acute 2 (H401); Aquatic Chronic 3 (H412)
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran	1222-05-5	1–<5%	Skin Irrit. 3 (H316); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Linalool	78-70-6	1–<5%	Flam. Liq. 4 (H227); Acute Tox. 5 (H303); Skin Irrit. 2 (H315); Eye Irrit. 2A (H319); Skin Sens. 1B (H317)
Benzyl salicylate	118-58-1	1–<5%	Acute Tox. 5 (H303); Skin Sens. 1B (H317); Aquatic Acute 2 (H401); Aquatic Chronic 3 (H412)
gamma-Decalactone	706-14-9	1–<5%	Aquatic Acute 3 (H402)
Benzyl acetate	140-11-4	1–<5%	Acute Tox. 5 (H303); Aquatic Chronic 3 (H412)
Linalyl acetate	115-95-7	1–<5%	Flam. Liq. 4 (H227); Skin Irrit. 2 (H315); Eye Irrit. 2A (H319); Skin Sens. 1B (H317); Aquatic Acute 2 (H401)
2-Phenoxyethyl isobutyrate	103-60-6	1–<5%	Skin Irrit. 3 (H316); Aquatic Acute 3 (H402)
Vanillin	121-33-5	1–<5%	Acute Tox. 5 (H303); Eye Irrit. 2A (H319); Aquatic Acute 3 (H402)
Methyl dihydrojasmonate	24851-98-7	1–<5%	Aquatic Acute 2 (H401)
Amyl salicylate	2050-08-0	1–<5%	Acute Tox. 4 (H302); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
alpha-Terpineol	98-55-5	1–<5%	Flam. Liq. 4 (H227); Acute Tox. 5 (H303); Skin Irrit. 2 (H315); Eye Irrit. 2A (H319); Aquatic Acute 2 (H401)
Coumarin	91-64-5	1–<5%	Acute Tox. 4 (H302); Skin Sens. 1B (H317); Aquatic Acute 3 (H402)
2,2-Dimethyl-3-phenylpropanol	13351-61-6	0.1–<1%	Acute Tox. 4 (H302); Skin Irrit. 2 (H315); Eye Irrit. 2A (H319); Aquatic Acute 3 (H402); Aquatic Chronic 3 (H412)
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	0.1–<1%	Flam. Liq. 4 (H227); Acute Tox. 5 (H303); Skin Irrit. 3 (H316); Eye Irrit. 2A (H319); Skin Sens. 1B (H317); Aquatic Acute 3 (H402)
alpha-Iso-Methylnone	127-51-5	0.1–<1%	Eye Irrit. 2A (H319); Skin Sens. 1B (H317); Aquatic Acute 2 (H401); Aquatic Chronic 2 (H411)
p-Anisyl acetate	104-21-2	0.1–<1%	Skin Sens. 1B (H317); Aquatic Acute 3 (H402)
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	28219-61-6	0.1–<1%	Skin Irrit. 2 (H315); Eye Irrit. 2B (H320); Aquatic Chronic 2 (H411)
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	68039-49-6	0.1–<1%	Flam. Liq. 4 (H227); Acute Tox. 5 (H303); Skin Irrit. 2 (H315); Skin Sens. 1B (H317); Aquatic Chronic 2 (H411)
3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde	31906-04-4	0.1–<1%	Skin Sens. 1A (H317); Aquatic Acute 3 (H402)
Cinnamyl alcohol	104-54-1	0.1–<1%	Acute Tox. 4 (H302); Skin Irrit. 3 (H316); Skin Sens. 1B (H317); Aquatic Acute 3 (H402)
Hexyl salicylate	6259-76-3	0.1–<1%	Skin Irrit. 3 (H316); Skin Sens. 1B (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde	67634-14-4	0.1–<1%	Skin Irrit. 2 (H315); Skin Sens. 1B (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
d-Citronellol	106-22-9	0.1–<1%	Acute Tox. 5 (H303); Skin Irrit. 2 (H315); Eye Irrit. 2A (H319); Skin Sens. 1B (H317); Aquatic Acute 2 (H401)
Eugenol	97-53-0	0.1–<1%	Acute Tox. 5 (H303); Skin Irrit. 3 (H316); Eye Irrit. 2A (H319); Skin Sens. 1B (H317); Aquatic Acute 2 (H401)
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	57378-68-4	0.1–<1%	Acute Tox. 4 (H302); Skin Sens. 1A (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Isoeugenol	97-54-1	0.1–<1%	Acute Tox. 4 (H302); Skin Irrit. 2 (H315); Skin Sens. 1A (H317); Aquatic Acute 2 (H401)
alpha-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	43052-87-5	0.1–<1%	Acute Tox. 4 (H302); Skin Irrit. 2 (H315); Skin Sens. 1B (H317); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)
Myrcene	123-35-3	0.1–<1%	Flam. Liq. 3 (H226); Skin Irrit. 2 (H315); Asp. Tox. 1 (H304); Aquatic Acute 1 (H400); Aquatic Chronic 1 (H410)

First Aid Measures

Description of First Aid Measures

Inhalation:

Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye Exposure:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin Exposure:

IF ON SKIN: Wash with plenty of soap and water.

Ingestion:

Rinse mouth with water and obtain medical attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Indication of Any Immediate Medical Attention and Special Treatment Needed

None expected; see Section 4.1 for further information.

Fire Fighting Measures

Extinguishing Media

Suitable media: Carbon dioxide, dry chemical, foam.

Special Hazards Arising from the Substance or Mixture

In case of fire, may be liberated: Carbon monoxide, unidentified organic compounds.

Advice for Firefighters

In case of insufficient ventilation, wear suitable respiratory equipment.

Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Sections 7 and 8.

Environmental Precautions

Keep away from drains, surface and ground water, and soil.

Methods for Containment and Cleaning Up

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

Reference to Other Sections

Also refer to Sections 8 and 13.

Handling and Storage

Precautions for Safe Handling

Keep away from heat, sparks, open flames, and hot surfaces — no smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink, or smoke when using this product.

Conditions for Safe Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Specific end use(s)

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices

Exposure Controls / Personal Protection

Workplace Exposure Limits

Not applicable.

Eye / Skin Protection

Wear protective gloves, eye protection, and face protection.

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Physical and Chemical Properties

Appearance	Free-flowing liquid without sediment
Odour	Characteristic
Odour threshold	Not determined
Melting point / freezing point	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability	Not determined
Lower and upper explosion limit	Not determined
Flash point	181 °F
Auto-ignition temperature	Not determined
Decomposition temperature	Not relevant
pH	Not determined
Kinematic viscosity	Not determined
Solubility	Not determined
Partition coefficient: n-octanol/water (log value)	Not determined
Vapour pressure	Not determined
Density and/or relative density	0.0150 - 0.0150
Relative vapour density	Not determined
Particle characteristics	Not determined
Other Information:	
Flash Point (Fahrenheit)	181 °F
Refractive Index @ 20C	0.0150 - 0.0150

Stability and Reactivity

Reactivity

Presents no significant reactivity hazard, by itself or in contact with water

Chemical Stability

Good stability under normal storage conditions.

Possibility of Hazardous Reactions

Not expected under normal conditions of use.

Conditions to Avoid

Avoid extreme heat.

Incompatible Materials

Avoid contact with strong acids, alkalis, or oxidizing agents.

Hazardous Decomposition Products

Not expected.

Toxicological Information

This mixture has not been tested as a whole for health effects. Health effects have been calculated using the methods outlined in the UN GHS.

Toxicological Classification

Acute Toxicity	Based on available data, the classification criteria are not met
Acute Toxicity (Oral)	>5000 mg/kg
Acute Toxicity (Dermal)	>5000 mg/kg
Acute Toxicity (Inhalation)	Not available
Skin Corrosion / Irritation	Skin Corrosion / Irritation Category 2
Serious Eye Damage / Irritation	Eye Damage / Irritation Category 2
Respiratory or Skin Sensitization	Skin Sensitization, Category 1
Germ Cell Mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive Toxicity	Based on available data, the classification criteria are not met
STOT — Single Exposure	Based on available data, the classification criteria are not met
STOT — Repeated Exposure	Based on available data, the classification criteria are not met
Aspiration Hazard	Based on available data, the classification criteria are not met

Component Acute Toxicity Data

Ingredient	CAS No.	LD50/ATE Dermal	LD50/ATE Oral	LC50/ATE Inhalation	LC50 Route
Amyl salicylate	2050-08-0	—	2000	—	—
Benzyl acetate	140-11-4	—	2490	—	—
Benzyl salicylate	118-58-1	—	2227	—	—
Coumarin	91-64-5	—	500	—	—
Dihydromyrcenol	18479-58-8	—	3020	—	—
Linalool	78-70-6	—	2790	—	—
Phenethyl alcohol	60-12-8	2500	1610	—	—
Vanillin	121-33-5	2600	3300	—	—
alpha-Hexylcinnamaldehyde	101-86-0	—	3100	—	—
alpha-Terpineol	98-55-5	—	4300	—	—

Section 12

Ecological Information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Persistence and Degradability

Not available.

Bioaccumulative Potential

Not available.

Mobility in Soil

Not available.

Other Adverse Effects

Not available.

Section 13

Disposal Considerations

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14

Transport Information

Transport Classification		UN Proper Shipping Name	Transport hazard class(es)	Sub Risk	Packing Group
UN Model Regulations	UN ₃₀₈₂	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)	9	—	III
IMDG	UN ₃₀₈₂	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran) MARINE POLLUTANT	9	—	III
ADR,RID,ADN	UN ₃₀₈₂	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)	9	—	III
ICAO TI	UN ₃₀₈₂	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)	9	—	III

Environmental Hazards

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

Special Precautions for User

None additional.

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

Section 15

Regulatory Information

This product has been classified in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200. Applicable federal, state, and local regulations should be consulted by the user.

TSCA Inventory Status:

All components are listed on the TSCA Inventory or are exempt from TSCA Inventory requirements.

Components listed on California's Proposition 65

Name	CAS	%
Myrcene	123-35-3	0.1-<1%

Naturally-Occurring Materials exempt from Prop 65

Name	CAS	%
Myrcene	123-35-3	—

Components listed on California's SB312

Name	CAS	%
alpha-Hexylcinnamaldehyde	101-86-0	10-<20%
Linalool	78-70-6	1-<5%
Benzyl Salicylate	118-58-1	1-<5%
2-Phenoxyethyl Isobutyrate	103-60-6	1-<5%
Coumarin	91-64-5	1-<5%
alpha-Iso-Methylionone	127-51-5	0.1-<1%
3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde	31906-04-4	0.1-<1%
Cinnamyl Alcohol	104-54-1	0.1-<1%
Eugenol	97-53-0	0.1-<1%

Additional Formulation Properties

Name	CAS	%
Vanillin	121-33-5	1-<5%

Section 16

Other Information

Revision History

Version	Date	Description
1	08/17/2026	Initial release

Disclaimer

The information contained in this Safety Data Sheet is believed to be accurate and is based on information available at the date of publication. It is provided solely as guidance for the safe handling, storage, transportation, use, and disposal of this product. No warranty, expressed or implied, is made regarding its accuracy or completeness. Users are responsible for determining the suitability of this product for their intended application and for complying with all applicable laws and regulations.